



Index of Authors

VOLUME 95 (1995)

(Authors from abstracts from Society Proceedings are not included)

- Achimowicz, J.Z., see Bullock, T.H. (95) 161
 Achtereekte, H.A.M., see Stam, C.J. (95) 309
 Allen, P.J., see Quirk, J.A. (95) 260
 Almkvist, O., see Shigeta, M. (95) 77
 Alonso, M., see Fernández-Bouzas, A. (95) 372
- Baeta, E., see Paiva, T. (95) 3
 Basun, H., see Shigeta, M. (95) 77
 Becker, J., see Harmony, T. (95) 426
 Benbadis, S.R., Qu, Y., Perry, M.C., Dinner, D.S. and Warnes, H.
 Interrater reliability of the multiple sleep latency test (95) 302
 Bernal, J., see Fernández-Bouzas, A. (95) 372
 Bernal, J., see Harmony, T. (95) 426
 Bertini, M., see De Gennaro, L. (95) 252
 Bertrand, O., see Yvert, B. (95) 381
 Besset, A., see Nobili, L. (95) 414
 Besthorn, C., Sattel, H., Geiger-Kabisch, C., Zerfass, R. and Förstl, H.
 Parameters of EEG dimensional complexity in Alzheimer's disease
 (95) 84
 Betti, O.O., see Munari, C. (95) 154
 Billiard, M., see Nobili, L. (95) 414
 Blackwood, D.H.R., see Ebmeier, K.P. (95) 434
 Borg, E., see Tonnquist-Uhlén, I. (95) 34
 Bötzel, K., see Mayer, M. (95) 350
 Brandenberger, G., see Luthringer, R. (95) 318
 Bromm, B. and Chen, A.C.N.
 Brain electrical source analysis of laser evoked potentials in response
 to painful trigeminal nerve stimulation (95) 14
 Bullock, T.H., McClune, M.C., Achimowicz, J.Z., Iragui-Madoz, V.J.,
 Duckrow, R.B. and Spencer, S.S.
 EEG coherence has structure in the millimeter domain: subdural and
 hippocampal recordings from epileptic patients (95) 161
 Burgess, R.C., see Ikeda, A. (95) 323
 Busacker, N.E., see Lagerlund, T.D. (95) 178
 Buser, P., see Lamarche, M. (95) 268
- Campos, J., see Paiva, T. (95) 3
 Casagrande, M., see De Gennaro, L. (95) 252
 Chen, A.C.N., see Bromm, B. (95) 14
 Chervin, R.D., Kraemer, H.C. and Guilleminault, C.
 Correlates of sleep latency on the multiple sleep latency test in a
 clinical population (95) 147
 Cicora, K.M., see Lagerlund, T.D. (95) 178
 Collura, T.F., see Ikeda, A. (95) 323
 Csépe, V., see Molnár, M. (95) 118
 Cui, L., see Evans, W.J. (95) 293
 Cusmai, R., see Munari, C. (95) 154
- Danek, A., see Mayer, M. (95) 350
 De Gennaro, L., Casagrande, M., Violani, C., Di Giovanni, M., Herman,
 J. and Bertini, M.
 The complementary relationship between waking and REM sleep in
 the oculomotor system: an increase of rightward saccades during
 waking causes a decrease of rightward eye movements during REM
 sleep (95) 252
 De Sonnevile, L., see Koeda, T. (95) 397
 Di Giovanni, M., see De Gennaro, L. (95) 252
 Dinner, D.S., see Benbadis, S.R. (95) 302
 Du, C., see Oishi, M. (95) 346
 Duckrow, R.B., see Bullock, T.H. (95) 161
- Ebmeier, K.P., Steele, J.D., MacKenzie, D.M., O'Carroll, R.E., Kydd,
 R.R., Glabus, M.F., Blackwood, D.H.R., Rugg, M.D. and Goodwin,
 G.M.
 Cognitive brain potentials and regional cerebral blood flow equiva-
 lents during two- and three-sound auditory "oddball tasks" (95) 434
 Echallier, J.F., see Yvert, B. (95) 381
 Elger, C.E., see Grunwald, T. (95) 53
 Elger, C.E., see Lehnertz, K. (95) 108
 Evans, W.J., Cui, L. and Starr, A.
 Olfactory event-related potentials in normal human subjects: effects
 of age and gender (95) 293
- Fagioli, I., see Ktonas, P.Y. (95) 90
 Fernández-Bouzas, A., Harmony, T., Galán, L., Marosi, E., Fernández,
 T., Reyes, A., Silva, J., Rodríguez, M., Bernal, J. and Alonso, M.
 Comparison of Z and multivariate statistical brain electromagnetic
 maps for the localization of brain lesions (95) 372
 Fernández, T., see Fernández-Bouzas, A. (95) 372
 Fernández, T., see Harmony, T. (95) 426
 Ferrillo, F., see Nobili, L. (95) 414
 Fish, D.R., see Quirk, J.A. (95) 260
 Florian, G. and Pfurtscheller, G.
 Dynamic spectral analysis of event-related EEG data (95) 393
 Follénus, M., see Luthringer, R. (95) 318
 Forss, N., see Salmelin, R. (95) 444
 Förstl, H., see Besthorn, C. (95) 84
 Francione, S., see Munari, C. (95) 154
 Fushimi, M., see Niiyama, Y. (95) 27
- Galán, L., see Fernández-Bouzas, A. (95) 372
 Geiger-Kabisch, C., see Besthorn, C. (95) 84
 George, J.S., see Gorodnitsky, I.F. (95) 231
 Glabus, M.F., see Ebmeier, K.P. (95) 434
 Gomes, L.B., see Paiva, T. (95) 3
 Goodwin, G.M., see Ebmeier, K.P. (95) 434

- Gorodnitsky, I.F., George, J.S. and Rao, B.D.
Neuromagnetic source imaging with FOCUSS: a recursive weighted minimum norm algorithm (95) 231
- Grunwald, T., Elger, C.E., Lehnertz, K., Van Roost, D. and Heinze, H.J.
Alterations of intrahippocampal cognitive potentials in temporal lobe epilepsy (95) 53
- Guilleminault, C., see Chervin, R.D. (95) 147
- Hamano, T., see Ikeda, A. (95) 323
- Hanyu, N., see Tokutake, T. (95) 42
- Hari, R., see Salenius, S. (95) 453
- Hari, R., see Salmelin, R. (95) 444
- Harmony, T., Marosi, E., Becker, J., Rodríguez, M., Reyes, A., Fernández, T., Silva, J. and Bernal, J.
Longitudinal quantitative EEG study of children with different performances on a reading-writing test (95) 426
- Harmony, T., see Fernández-Bouzas, A. (95) 372
- Hayashi, R., see Tokutake, T. (95) 42
- Heinze, H.J., see Grunwald, T. (95) 53
- Herman, J., see De Gennaro, L. (95) 252
- Hishikawa, Y., see Niiyama, Y. (95) 27
- Hoffmann, D., see Munari, C. (95) 154
- Hoshiyama, M., see Kakigi, R. (95) 127
- Hoshiyama, M., see Kitamura, Y. (95) 463
- Hume, K.I., see O'Boyle, D.J. (95) 97
- Huottilainen, M., see Tesche, C.D. (95) 189
- Ikeda, A., Lüders, H.O., Shibasaki, H., Collura, T.F., Burgess, R.C., Morris, III, H.H. and Hamano, T.
Movement-related potentials associated with bilateral simultaneous and unilateral movements recorded from human supplementary motor area (95) 323
- Ikeda, A., see Terada, K. (95) 335
- Ilmoniemi, R.J., see Tesche, C.D. (95) 189
- Iragui-Madoz, V.J., see Bullock, T.H. (95) 161
- Jayakar, P., see Legarda, S. (95) 257
- Jelles, B., see Stam, C.J. (95) 309
- Jewett, D.L. and Zhang, Z.
Multiple-generator errors are unavoidable under model misspecification (95) 135
- Johnson, J., see Silbert, P.L. (95) 71
- Jonkman, E.J., see Koeda, T. (95) 397
- Jousmäki, V., see Pekkonen, E. (95) 47
- Julin, P., see Shigeta, M. (95) 77
- Kahane, P., see Munari, C. (95) 154
- Kajola, M., see Salenius, S. (95) 453
- Kajola, M., see Tesche, C.D. (95) 189
- Kakigi, R., Koyama, S., Hoshiyama, M., Shimojo, M., Kitamura, Y. and Watanabe, S.
Topography of somatosensory evoked magnetic fields following posterior tibial nerve stimulation (95) 127
- Kakigi, R., see Kitamura, Y. (95) 463
- Karmos, G., see Molnár, M. (95) 118
- Keunen, R.W.M., see Stam, C.J. (95) 309
- Kishiyama, S.S., see Oken, B.S. (95) 359
- Kitamura, Y., Kakigi, R., Hoshiyama, M., Koyama, S., Shimojo, M. and Watanabe, S.
Pain-related somatosensory evoked magnetic fields (95) 463
- Kitamura, Y., see Kakigi, R. (95) 127
- Klass, D.W., see Silbert, P.L. (95) 71
- Knuutila, J., see Salmelin, R. (95) 444
- Knyazeva, M., see Koeda, T. (95) 397
- Koeda, T., Knyazeva, M., Njiokiktjien, C., Jonkman, E.J., De Sonnevile, L. and Vildavsky, V.
The EEG in acallosal children. Coherence values in the resting state: left hemisphere compensatory mechanism? (95) 397
- Koles, Z.J., Lind, J.C. and Soong, A.C.K.
Spatio-temporal decomposition of the EEG: a general approach to the isolation and localization of sources (95) 219
- Kosslyn, S., see Salenius, S. (95) 453
- Koyama, S., see Kakigi, R. (95) 127
- Koyama, S., see Kitamura, Y. (95) 463
- Kraemer, H.C., see Chervin, R.D. (95) 147
- Ktonas, P.Y., Fagioli, I. and Salzarulo, P.
Delta (0.5–1.5 Hz) and sigma (11.5–15.5 Hz) EEG power dynamics throughout quiet sleep in infants (95) 90
- Kudo, T. and Wada, J.A.
Effect of unilateral claustral lesion on intermittent light stimulation-induced convulsive response in D,L-allylglycine treated cats (95) 63
- Kydd, R.R., see Ebmeier, K.P. (95) 434
- Lagerlund, T.D., Sharbrough, F.W., Busacker, N.E. and Cicora, K.M.
Interelectrode coherences from nearest-neighbor and spherical harmonic expansion computation of laplacian of scalp potential (95) 178
- Lamarche, M., Louvel, J., Buser, P. and Rektor, I.
Intracerebral recordings of slow potentials in a contingent negative variation paradigm: an exploration in epileptic patients (95) 268
- Legarda, S. and Jayakar, P.
Electroclinical significance of rolandic spikes and dipoles in neurodevelopmentally normal children (95) 257
- Lehnertz, K. and Elger, C.E.
Spatio-temporal dynamics of the primary epileptogenic area in temporal lobe epilepsy characterized by neuronal complexity loss (95) 108
- Lehnertz, K., see Grunwald, T. (95) 53
- Lind, J.C., see Koles, Z.J. (95) 219
- Louvel, J., see Lamarche, M. (95) 268
- Lüders, H.O., see Ikeda, A. (95) 323
- Luthringer, R., Brandenberger, G., Schaltenbrand, N., Müller, G., Spiegel, K., Macher, J.P., Muzet, A. and Follénus, M.
Slow wave electroencephalic activity parallels renin oscillations during sleep in humans (95) 318
- Macher, J.P., see Luthringer, R. (95) 318
- MacKenzie, D.M., see Ebmeier, K.P. (95) 434
- Marosi, E., see Fernández-Bouzas, A. (95) 372
- Marosi, E., see Harmony, T. (95) 426
- Martin, J., see Scher, M.S. (95) 408
- Martins, I.P., see Paiva, T. (95) 3
- Mayer, M., Bötzel, K., Paulus, W., Plendl, H., Pröckl, D. and Danek, A.
Movement-related cortical potentials in persistent mirror movements (95) 350
- McClune, M.C., see Bullock, T.H. (95) 161
- Mochizuki, Y., see Oishi, M. (95) 346
- Molnár, M., Skinner, J.E., Csépe, V., Winkler, I. and Karmos, G.
Correlation dimension changes accompanying the occurrence of the mismatch negativity and the P3 event-related potential component (95) 118
- Morris, III, H.H., see Ikeda, A. (95) 323
- Mostert, M.L., see Shan, Y. (95) 475
- Müller, G., see Luthringer, R. (95) 318
- Munari, C., Kahane, P., Francione, S., Hoffmann, D., Tassi, L., Cusmai, R., Vigevano, F., Pasquier, B. and Betti, O.O.
Role of the hypothalamic hamartoma in the genesis of gelastic fits (a video-stereo-EEG study) (95) 154
- Muzet, A., see Luthringer, R. (95) 318
- Nagamine, T., see Terada, K. (95) 335
- Niiyama, Y., Fushimi, M., Sekine, A. and Hishikawa, Y.
K-complex evoked in NREM sleep is accompanied by a slow negative potential related to cognitive process (95) 27
- Njiokiktjien, C., see Koeda, T. (95) 397

- Nobili, L., Besset, A., Ferrillo, F., Rosadini, G., Schiavi, G. and Billiard, M.
Dynamics of slow wave activity in narcoleptic patients under bed rest conditions (95) 414
- O'Boyle, D.J., Van, F. and Hume, K.I.
Effects of alcohol, at two times of day, on EEG-derived indices of physiological arousal (95) 97
- O'Carroll, R.E., see Ebmeier, K.P. (95) 434
- Oishi, M., Mochizuki, Y., Du, C. and Takasu, T.
Contingent negative variation and movement-related cortical potentials in parkinsonism (95) 346
- Oken, B.S., Kishiyama, S.S. and Salinsky, M.C.
Pharmacologically induced changes in arousal: effects on behavioral and electrophysiologic measures of alertness and attention (95) 359
- Paiva, T., Campos, J., Baeta, E., Gomes, L.B., Martins, I.P. and Parreira, E.
EEG monitoring during endovascular embolization of cerebral arteriovenous malformations (95) 3
- Parmeggiani, L., see Rubboli, G. (95) 201
- Parreira, E., see Paiva, T. (95) 3
- Partanen, J., see Pekkonen, E. (95) 47
- Pasquier, B., see Munari, C. (95) 154
- Paulus, W., see Mayer, M. (95) 350
- Pekkonen, E., Jousmäki, V., Reinikainen, K. and Partanen, J.
Automatic auditory discrimination is impaired in Parkinson's disease (95) 47
- Pernier, J., see Yvert, B. (95) 381
- Perry, M.C., see Benbadis, S.R. (95) 302
- Pfurtscheller, G., see Florian, G. (95) 393
- Plendl, H., see Mayer, M. (95) 350
- Pröckl, D., see Mayer, M. (95) 350
- Proverbio, A.M., see Zani, A. (95) 277
- Qu, Y., see Benbadis, S.R. (95) 302
- Quirk, J.A., Fish, D.R., Smith, S.J.M., Sander, J.W.A.S., Shorvon, S.D. and Allen, P.J.
Incidence of photosensitive epilepsy: a prospective national study (95) 260
- Radhakrishnan, K., see Silbert, P.L. (95) 71
- Rao, B.D., see Gorodnitsky, I.F. (95) 231
- Reinikainen, K., see Pekkonen, E. (95) 47
- Rektor, I., see Lamarche, M. (95) 268
- Reyes, A., see Fernández-Bouzas, A. (95) 372
- Reyes, A., see Harmony, T. (95) 426
- Rodríguez, M., see Fernández-Bouzas, A. (95) 372
- Rodríguez, M., see Harmony, T. (95) 426
- Roemer, R.A., see Shan, Y. (95) 475
- Rombouts, S.A.R.B., see Stam, C.J. (95) 309
- Rosadini, G., see Nobili, L. (95) 414
- Rubboli, G., Parmeggiani, L. and Tassinari, C.A.
Frontal inhibitory spike component associated with epileptic negative myoclonus (95) 201
- Rudberg, U., see Shigeta, M. (95) 277
- Rugg, M.D., see Ebmeier, K.P. (95) 434
- Salenius, S., Kajola, M., Thompson, W.L., Kosslyn, S. and Hari, R.
Reactivity of magnetic parieto-occipital alpha rhythm during visual imagery (95) 453
- Salinsky, M.C., see Oken, B.S. (95) 359
- Salmelin, R., Forss, N., Knuutila, J. and Hari, R.
Bilateral activation of the human somatomotor cortex by distal hand movements (95) 444
- Salonen, O., see Tesche, C.D. (95) 189
- Salzarulo, P., see Ktonas, P.Y. (95) 90
- Sander, J.W.A.S., see Quirk, J.A. (95) 260
- Sattel, H., see Besthorn, C. (95) 84
- Schaltenbrand, N., see Luthringer, R. (95) 318
- Scher, M.S., Sinha, S., Martin, J. and Steppe, D.A.
Estimation of gestational maturity of preterm infants by five fetal sonographic measurements compared with neonatal EEG and the last menstrual period (95) 408
- Schiavi, G., see Nobili, L. (95) 414
- Sekine, A., see Niiyama, Y. (95) 27
- Shan, Y., Moster, M.L. and Roemer, R.A.
The effects of time point alignment on the amplitude of averaged orbital presaccadic spike potential (SP) (95) 475
- Sharbrough, F.W., see Lagerlund, T.D. (95) 178
- Shibasaki, H., see Ikeda, A. (95) 323
- Shibasaki, H., see Terada, K. (95) 335
- Shigeta, M., Julin, P., Almkvist, O., Basun, H., Rudberg, U. and Wahlund, L.-O.
EEG in successful aging; a 5 year follow-up study from the eighth to ninth decade of life (95) 77
- Shimojo, M., see Kakigi, R. (95) 127
- Shimojo, M., see Kitamura, Y. (95) 463
- Shorvon, S.D., see Quirk, J.A. (95) 260
- Silbert, P.L., Radhakrishnan, K., Johnson, J. and Klass, D.W.
The significance of the phi rhythm (95) 71
- Silva, J., see Fernández-Bouzas, A. (95) 372
- Silva, J., see Harmony, T. (95) 426
- Sinha, S., see Scher, M.S. (95) 408
- Skinner, J.E., see Molnár, M. (95) 118
- Slaets, J.P.J., see Stam, C.J. (95) 309
- Smith, S.J.M., see Quirk, J.A. (95) 260
- Soong, A.C.K., see Koles, Z.J. (95) 219
- Spencer, S.S., see Bullock, T.H. (95) 161
- Spens, K.E., see Tonnquist-Uhlén, I. (95) 34
- Spiegel, K., see Luthringer, R. (95) 318
- Stam, C.J., Jelles, B., Achtereekte, H.A.M., Rombouts, S.A.R.B., Slaets, J.P.J. and Keunen, R.W.M.
Investigation of EEG non-linearity in dementia and Parkinson's disease (95) 309
- Starr, A., see Evans, W.J. (95) 293
- Steele, J.D., see Ebmeier, K.P. (95) 434
- Steppe, D.A., see Scher, M.S. (95) 408
- Takasu, T., see Oishi, M. (95) 346
- Tassi, L., see Munari, C. (95) 154
- Tassinari, C.A., see Rubboli, G. (95) 201
- Terada, K., Ikeda, A., Nagamine, T. and Shibasaki, H.
Movement-related cortical potentials associated with voluntary muscle relaxation (95) 335
- Tesche, C.D., Uusitalo, M.A., Ilmoniemi, R.J., Huottilainen, M., Kajola, M. and Salonen, O.
Signal-space projections of MEG data characterize both distributed and well-localized neuronal sources (95) 189
- Thompson, W.L., see Salenius, S. (95) 453
- Tokutake, T., Hayashi, R. and Hanyu, N.
Auditory brain-stem responses and MRI findings in patients with olivo-ponto-cerebellar (Dejerine-Thomas)-type and cerebello-olivary (Holmes)-type spino-cerebellar degeneration (95) 42
- Tonnquist-Uhlén, I., Borg, E. and Spens, K.E.
Topography of auditory evoked long-latency potentials in normal children, with particular reference to the N1 component (95) 34
- Uusitalo, M.A., see Tesche, C.D. (95) 189
- Van, F., see O'Boyle, D.J. (95) 97
- Van Roost, D., see Grunwald, T. (95) 53
- Vigevano, F., see Munari, C. (95) 154

Vildavsky, V., see Koeda, T. (95) 397
Violani, C., see De Gennaro, L. (95) 252

Wada, J.A., see Kudo, T. (95) 63
Wahlund, L.-O., see Shigeta, M. (95) 77
Warnes, H., see Benbadis, S.R. (95) 302
Watanabe, S., see Kakigi, R. (95) 127
Watanabe, S., see Kitamura, Y. (95) 463
Winkler, I., see Molnár, M. (95) 118

Yvert, B., Bertrand, O., Echallier, J.F. and Pernier, J.
Improved forward EEG calculations using local mesh refinement of
realistic head geometries (95) 381

Zani, A. and Proverbio, A.M.
ERP signs of early selective attention effects to check size (95) 277
Zerfass, R., see Besthorn, C. (95) 84
Zhang, Z., see Jewett, D.L. (95) 135



Index of Subjects

VOLUME 95, 1995

(Abstracts from Society Proceedings are not included)

- Age
 - EEG in successful aging, 77
 - olfactory ERPs in normal human subjects, 293
- Alcohol effects on arousal, 97
- Alertness
 - pharmacologically induced changes in arousal, 359
- Alignment
 - time point alignment and orbital presaccadic spike potential, 475
- Allylglycine
 - claustral lesions and convulsive response in cats, 63
- Alpha rhythm during visual imagery, 453
- Alzheimer's disease
 - EEG dimensional complexity, 84
 - EEG non-linearity, 309
- Amplitude analysis of orbital presaccadic spike potential, 475
- Amytal test during embolization of cerebral arteriovenous malformation, 3
- Antihistamine
 - pharmacologically induced changes in arousal, 359
- Arousal
 - effects of alcohol, at two times a day, 97
 - ERP signs of visual selective attention, 277
 - pharmacologically induced changes, 359
- Arteriovenous malformation embolization, EEG study, 3
- Atonic seizures
 - hypothalamic hamartoma and gelastic seizures, 154
- Attention
 - EEG in successful aging, 77
 - ERP signs of visual selective attention, 277
 - pharmacologically induced changes in arousal, 359
 - waking and REM sleep relationship in the oculomotor system, 252
- Auditory discrimination
 - and cerebral blood flow, 434
 - in Parkinson's disease, 47
- Auditory evoked potentials
 - correlation dimension of changes, mismatch negativity, and P3 ERP, 118
 - topography of long-latency AEPs in children, 34
 - *see also* Brain-stem
- Autoregressive model
 - dynamic spectral analysis of event-related EEG data, 393
- Averaging
 - time point alignment and orbital presaccadic spike potential, 475
- BAEPs, *see* Brain-stem
- Bed rest
 - slow wave activity in narcoleptic patients, 414
- Bereitschaftspotentials from supplementary motor area, 323
- Bilateral movement-related potentials from supplementary motor area, 323
- Book reviews, 69, 143, 217, 305, 478
- Boundary element method
 - EEG calculations using local refinement of head geometries, 381
- Brain lesions
 - Z and multivariate maps for the localization of lesions, 372
- Brain-stem
 - BAEPs and MRI in spino-cerebellar degeneration, 42
- Callosal agenesis
 - hemisphere compensatory mechanisms in acallosal children, 397
- Cat
 - claustral lesions and convulsive response, 63
- Centrottemporal spikes and dipoles in children, 257
- Cerebellum
 - BAEPs and MRI in spino-cerebellar degeneration, 42
- Cerebral blood flow and cognitive brain potentials, 434
- Chaos
 - EEG dimensional complexity in Alzheimer's disease, 84
 - EEG non-linearity in dementia and Parkinson's disease, 309
- Chemosensory evoked potentials in normal human subjects, 293
- Children
 - EEG study of children with learning disability, 426
 - hemisphere compensatory mechanisms in acallosal children, 397
 - power spectral analysis of quiet sleep, 90
 - significance of rolandic spikes and dipoles, 257
 - topography of long-latency AEPs, 34
- Cingulate cortex
 - pain-related somatosensory evoked magnetic fields, 463
- Circadian rhythms
 - slow wave activity in narcoleptic patients, 414
- Claustal lesions and convulsive response in cats, 63
- Cognitive processes
 - and cerebral blood flow, 434
 - and K complex in NREM sleep, 27
 - intrahippocampal cognitive potential in temporal lobe epilepsy, 53
 - pharmacologically induced changes in arousal, 359
- Coherence
 - EEG coherence has structure in the millimeter domain, 161
 - hemisphere compensatory mechanisms in acallosal children, 397
 - interelectrode coherences and Laplacian of scalp potential, 178
- Complementarity hypothesis
 - waking and REM sleep relationship in the oculomotor system, 252
- Computerized tomography
 - Z and multivariate maps for the localization of brain lesions, 372
- Contingent negative variation
 - and movement-related potentials in parkinsonism, 346
 - intracerebral recordings of slow potentials, 268
- Cooperativity
 - EEG coherence has structure in the millimeter domain, 161

Correlation dimension

- of changes, mismatch negativity, and P3 ERP, 118
- spatio-temporal dynamics of the primary epileptogenic area, 108

Covert attention

- waking and REM sleep relationship in the oculomotor system, 252

Cross-correlation

- slow waves and renin oscillations during sleep, 318

Current dipole or source, *see* Generators

Daytime sleepiness

- slow wave activity in narcoleptic patients, 414

Delta rhythms

- power spectral analysis of quiet sleep in children, 90
- significance of the phi rhythm, 71

Dementia

- EEG dimensional complexity, 84
- EEG non-linearity, 309

Depth recording

- EEG coherence has structure in the millimeter domain, 161
- hypothalamic hamartoma and gelastic seizures, 154
- intrahippocampal cognitive potential in temporal lobe epilepsy, 53
- of slow potentials in a CNV paradigm, 268

Desynchronization

- pharmacologically induced changes in arousal, 359

Development

- significance of rolandic spikes and dipoles in children, 257

Dipole localization

- EP source to painful trigeminal nerve stimulation, 14
- model misspecification causes multiple-generator errors, 135
- significance of rolandic spikes and dipoles in children, 257

Dipole model

- EEG calculations using local refinement of head geometries, 381

Distributed sources

- signal-space projections of MEG data, 189

DOPA

- movement-related potentials and CNV in Parkinsonism, 346

EcoG

- spatio-temporal dynamics of the primary epileptogenic area, 108

EEG

- during embolization of cerebral arteriovenous malformation, 3
- dynamic spectral analysis of event-related EEG data, 393
- EEG calculations using local refinement of head geometries, 381
- EEG coherence has structure in the millimeter domain, 161
- EEG dimensional complexity in Alzheimer's disease, 84
- EEG non-linearity in dementia and Parkinson's disease, 309
- effects of alcohol, at two times a day, on arousal, 97
- gestational maturity of preterm infants, 408
- hemisphere compensatory mechanisms in acallosal children, 397
- in successful aging, 77
- interelectrode coherences and Laplacian of scalp potential, 178
- intracerebral recordings of slow potentials in a CNV paradigm, 268
- neuromagnetic source imaging with FOCUSS, 231
- pharmacologically induced changes in arousal, 359
- power spectral analysis of quiet sleep in children, 90
- signal-space projections of MEG data, 189
- significance of rolandic spikes and dipoles in children, 257
- significance of the phi rhythm, 71
- slow waves and renin oscillations during sleep, 318
- spatio-temporal decomposition, 219
- Z and multivariate maps for the localization of brain lesions, 372
- *see also* Quantitative EEG

Embolization of cerebral arteriovenous malformation, EEG study, 3

Epilepsy

- claustral lesions and convulsive response in cats, 63
- EEG coherence has structure in the millimeter domain, 161
- frontal component associated with epileptic negative myoclonus, 201

- hypothalamic hamartoma and gelastic seizures, 154

- incidence of photosensitive epilepsy, 260

- intracerebral recordings of slow potentials in a CNV paradigm, 268

- intrahippocampal cognitive potential in temporal lobe epilepsy, 53

- significance of rolandic spikes and dipoles in children, 257

- spatio-temporal dynamics of the primary epileptogenic area, 108

Equivalent current dipole

- signal-space projections of MEG data, 189

Event-related desynchronization

- dynamic spectral analysis, 393

Event-related potentials

- automatic auditory discrimination in Parkinson's disease, 47

- correlation dimension of changes and mismatch negativity, 118

- ERP signs of visual selective attention, 277

- intrahippocampal cognitive potential in temporal lobe epilepsy, 53

- K complex and cognitive processes in NREM sleep, 27

- model misspecification causes multiple-generator errors, 135

- olfactory ERPs in normal human subjects, 293

Evoked fields

- bilateral activation of somatomotor cortex by hand movements, 444

- pain-related somatosensory evoked magnetic fields, 463

Evoked potentials

- auditory, *see* Auditory evoked potentials

- EP source to painful trigeminal nerve stimulation, 14

- movement-related potentials in persistent mirror movements, 350

Evoked responses

- bilateral activation of somatomotor cortex by hand movements, 444

- signal-space projections of MEG data, 189

Eye closure

- significance of the phi rhythm, 71

Eye movement

- waking and REM sleep relationship in the oculomotor system, 252

Fetal ultrasonography

- gestational maturity of preterm infants, 408

First year of life

- power spectral analysis of quiet sleep in children, 90

Fitting function

- model misspecification causes multiple-generator errors, 135

Forward problem

- EEG calculations using local refinement of head geometries, 381

Fractal analysis

- EEG dimensional complexity in Alzheimer's disease, 84

Frequency analysis

- Z and multivariate maps for the localization of brain lesions, 372

Frontal component associated with epileptic negative myoclonus, 201

Functional compensation

- hemisphere compensatory mechanisms in acallosal children, 397

Gelastical seizures and hypothalamic hamartoma, 154

Generators

- EP source to painful trigeminal nerve stimulation, 14

- evoked magnetic field to posterior tibial nerve stimulation, 127

- model misspecification causes multiple-generator errors, 135

- Z and multivariate maps for the localization of brain lesions, 372

Gestational maturity of preterm infants, 408

Hamartoma

- hypothalamic hamartoma and gelastic seizures, 154

Hand movements and bilateral activation of somatomotor cortex, 444

Head model

- EEG calculations using local refinement of head geometries, 381

Hemispheric asymmetries

- ERP signs of visual selective attention, 277

Hippocampus

- EEG coherence has structure in the millimeter domain, 161

- intrahippocampal cognitive potential in temporal lobe epilepsy, 53

Homeostasis

- slow wave activity in narcoleptic patients, 414
- Hypothalamic hamartoma and gelastic seizures, 154

Incidence of photosensitive epilepsy, 260

Interhemispheric asymmetry

- compensatory mechanisms in acallosal children, 397

Intermittent light stimulation

- claustral lesions and convulsive response in cats, 63

Intermittent slowing

- EEG in successful aging, 77

Interpeak latency

- BAEPs and MRI in spino-cerebellar degeneration, 42

Interrater reliability of multiple sleep latency test, 302

Intracerebral

- intrahippocampal cognitive potential in temporal lobe epilepsy, 53
- *see also*: Depth recording

K complex and cognitive processes in NREM sleep, 27

Kidney

- slow waves and renin oscillations during sleep, 318

Laplacian of scalp potential interelectrode coherences, 178

Laser evoked potential

- EP source to painful trigeminal nerve stimulation, 14

Last menstrual period

- gestational maturity of preterm infants, 408

Learning disability

- EEG study in children, 426

Least square fit

- model misspecification causes multiple-generator errors, 135

Left hemisphere

- compensatory mechanisms in acallosal children, 397

Local stationarity

- dynamic spectral analysis of event-related EEG data, 393

Longitudinal study

- EEG in successful aging, 77

Magnetic field to posterior tibial nerve stimulation, 127

Magnetic resonance imaging

- BAEPs and MRI in spino-cerebellar degeneration, 42
- EEG in successful aging, 77

Magnetoencephalogram

- bilateral activation of somatomotor cortex by hand movements, 444
- magnetic alpha rhythm during visual imagery, 453
- neuromagnetic source imaging with FOCUSS, 231
- pain-related somatosensory evoked magnetic fields, 463
- signal-space projections, 189

Mapping

- cognitive brain potentials and cerebral blood flow, 434
- evoked magnetic field to posterior tibial nerve stimulation, 127
- frontal component associated with epileptic negative myoclonus, 201
- model misspecification causes multiple-generator errors, 135
- pain-related somatosensory evoked magnetic fields, 463
- signal-space projections of MEG data, 189
- spatio-temporal decomposition of the EEG, 219
- topography of long-latency AEPs in children, 34
- Z and multivariate maps for the localization of brain lesions, 372

Memory

- EEG in successful aging, 77

Mental imagery

- magnetic alpha rhythm during visual imagery, 453

Mirror movement and movement-related potentials, 350

Mismatch negativity

- automatic auditory discrimination in Parkinson's disease, 47
- correlation dimension of changes and P3 ERP, 118

Modelization

- EEG calculations using local refinement of head geometries, 381
- model misspecification causes multiple-generator errors, 135

Monitoring

- EEG during embolization of cerebral arteriovenous malformation, 3

Monoamines

- pharmacologically induced changes in arousal, 359

Motor control and voluntary muscle relaxation, 335

Motor cortex

- movement-related potentials from supplementary motor area, 323
- movement-related potentials in persistent mirror movements, 350

Movement-related potentials

- and CNV in parkinsonism, 346
- and voluntary muscle relaxation, 335
- bilateral activation of somatomotor cortex by hand movements, 444
- from supplementary motor area, 323
- in persistent mirror movements, 350

Multiple sleep latency test

- correlates of sleep latency, 147
- inter-rater reliability, 302

Muscle relaxation and movement-related potentials, 335

Myoclonus

- claustral lesions and convulsive response in cats, 63
- frontal component associated with epileptic negative myoclonus, 201

Narcolepsy and slow wave activity, 414

Negative motor area

- frontal component associated with epileptic negative myoclonus, 201

Negative motor phenomenon

- movement-related potentials and voluntary muscle relaxation, 335

Neonates

- gestational maturity of preterm infants, 408

Neuron complexity loss

- spatio-temporal dynamics of the primary epileptogenic area, 108

Non-linear dynamics

- in Alzheimer's disease, 84
- in dementia and Parkinson's disease, 309

N1 wave

- automatic auditory discrimination in Parkinson's disease, 47
- topography of long-latency AEPs in children, 34

Oculomotor system

- waking and REM sleep relationship, 252

Oddball task

- cognitive brain potentials and cerebral blood flow, 434

Olfactory ERPs in normal human subjects, 293

Olivoponto-cerebellar atrophy, BAEPs and MRI, 42

Orienting response

- cognitive brain potentials and cerebral blood flow, 434

Overt attention

- waking and REM sleep relationship in the oculomotor system, 252

Pain

- EP source to trigeminal nerve stimulation, 14
- pain-related somatosensory evoked magnetic fields, 463

Parkinson's disease

- automatic auditory discrimination, 47
- EEG non-linearity, 309
- movement-related potentials and CNV, 346

Phi rhythm, 71

Photosensitive epilepsy

- claustral lesions and convulsive response in cats, 63
- prospective national study, 260

Pons

- BAEPs and MRI in spino-cerebellar degeneration, 42

Posterior rhythmic slow waves

- significance of the phi rhythm, 71

Power spectral analysis, *see* Spectral analysis

Preterm infants, gestational maturity, 408

Primary epileptogenic area, spatio-temporal dynamics, 108

Principal component decomposition of the EEG, 219

P300

– cognitive brain potentials and cerebral blood flow, 434

– EEG calculations using local refinement of head geometries, 381

Quantitative EEG

– EEG dimensional complexity in Alzheimer's disease, 84

– EEG study of children with learning disability, 426

Readiness potential

– slow potentials in a CNV paradigm, 268

Reading -writing test

– EEG study of children with learning disability, 426

Recursive weighted minimum norm algorithm

– neuromagnetic source imaging with FOCUSS, 231

Renin activity

– slow waves and renin oscillations during sleep, 318

Rolandic spikes and dipoles in children, 257

Saccade

– waking and REM sleep relationship in the oculomotor system, 252

– time point alignment and orbital presaccadic spike potential, 475

Scalp potential

– interelectrode coherences and Laplacian of scalp potential, 178

Second sensory cortex

– pain-related somatosensory evoked magnetic fields, 463

Sensory cortex

– evoked magnetic field to posterior tibial nerve stimulation, 127

Sex differences

– olfactory ERPs in normal human subjects, 293

Single photon emission tomography

– cognitive brain potentials and cerebral blood flow, 434

– EEG in successful aging, 77

Single trial EEG data

– signal-space projections of MEG data, 189

Sleep

– correlates of sleep latency on the multiple sleep latency test, 147

– EEG coherence has structure in the millimeter domain, 161

– effects of alcohol, at two times a day, on arousal, 97

– K complex and cognitive processes in NREM sleep, 27

– power spectral analysis of quiet sleep in children, 90

– slow wave activity in narcoleptic patients, 414

– slow waves and renin oscillations, 318

– waking and REM sleep relationship in the oculomotor system, 252

Sleepiness, *see* Multiple sleep latency test

Slow potential

– intracerebral recordings in a CNV paradigm, 268

Slow waves

– and renin oscillations during sleep, 318

– in narcoleptic patients, 414

Society proceedings

– American, Chicago, September 1994, 15P

– American, Denver, February 1995, 12P

– American, New York, February 1995, 9P

– Belgian, Tournai, December 1994, 108P

– Belgian, Munsterbilzen, March 1995, 111P

– Czech and Slovak, Prague, September 1994, 101P

– Dutch, The Hague, May 1995, 83P

– English, London, January 1995, 1P

– English, Bristol, March 1995, 98P

– Finnish, Tampere, February 1995, 95P

– International Congress (General assembly), Vancouver, September 1993, 206

– Israeli, Tel Aviv, February 1995, 76P

– Italian, Perugia, June 1994, 43P

– Japanese, Sendai, October 1994, 86P

– Swiss, Merligen/Thunersee, June 1994, 4P

Somatomotor cortex

– bilateral activation by hand movements, 444

Somatosensory evoked fields

– pain-related magnetic fields, 463

– to posterior tibial nerve stimulation, 127

Somatosensory evoked potentials

– EP source to painful trigeminal nerve stimulation, 14

Source localization

– bilateral activation of somatomotor cortex by hand movements, 444

– EEG calculations using local refinement of head geometries, 381

– EP source to painful trigeminal nerve stimulation, 14

– neuromagnetic source imaging with FOCUSS, 231

– spatio-temporal decomposition of the EEG, 219

Spatial attention

– pharmacologically induced changes in arousal, 359

Spatial distribution, *see* Mapping

Spatial frequency

– ERP signs of visual selective attention, 277

Spatio-temporal decomposition of the EEG, 219

Spectral analysis

– EEG study of children with learning disability, 426

– effects of alcohol, at two times a day, on arousal, 97

– of quiet sleep in children, 90

– slow waves and renin oscillations during sleep, 318

– Z and multivariate maps for the localization of brain lesions, 372

Spectral decomposition of event-related EEG data, 393

Spherical harmonic expansion

– interelectrode coherences and Laplacian of scalp potential, 178

Spike averaging

– frontal component associated with epileptic negative myoclonus, 201

Spike potential

– time point alignment and orbital presaccadic spike potential, 475

Spindles

– power spectral analysis of quiet sleep in children, 90

Spino-cerebellar degeneration

– BAEPs and MRI in spino-cerebellar degeneration, 42

Splines

– interelectrode coherences and Laplacian of scalp potential, 178

Spontaneous activity

– signal-space projections of MEG data, 189

Statistical parametric mapping

– cognitive brain potentials and cerebral blood flow, 434

Stereotaxy

– hypothalamic hamartoma and gelastic seizures, 154

Supplementary motor area and movement-related potentials, 323

Surface meshing

– EEG calculations using local refinement of head geometries, 381

Temporal lobe epilepsy

– intrahippocampal cognitive potential, 53

– spatio-temporal dynamics of the primary epileptogenic area, 108

Temporal spectral evolution

– bilateral activation of somatomotor cortex by hand movements, 444

Tibial nerve stimulation, evoked magnetic field, 127

Time of day

– effects of alcohol on arousal, 97

Time point alignment and orbital presaccadic spike potential, 475

Tomographic source reconstruction

– neuromagnetic source imaging with FOCUSS, 231

Trigeminal nerve

– EP source to painful trigeminal nerve stimulation, 14

Ultradian rhythm

– slow wave activity in narcoleptic patients, 414

Visual cortex

- magnetic alpha rhythm during visual imagery, 453

Visual search

- pharmacologically induced changes in arousal, 359

Voluntary

- movement-related potentials and voluntary muscle relaxation, 335
- movement-related potentials in persistent mirror movements, 350

Wakefulness

- correlates of sleep latency on the multiple sleep latency test, 147

Z maps for the localization of brain lesions, 372